

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061
LIMS Reference ID: AC38061
EMSL Customer ID: EPIC62

Attention: James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Clark Elementary School

Customer PO:

NJ-DOE 24-1107C

EMSL Sales Rep:

Justin Monturano

Received:

11/22/2024 10:00

Reported:

12/09/2024 17:45

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CLK-FB Lims Reference ID: AC38061-01 Matrix: Drinking Water Sampled: 11/16/24 06:20:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:12	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-KC-Kitch1 Lims Reference ID: AC38061-02 Matrix: Drinking Water Sampled: 11/16/24 06:21:00									
Metals									
Lead	1.23		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:18	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-KC-Kitch2 Lims Reference ID: AC38061-03 Matrix: Drinking Water Sampled: 11/16/24 06:21:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:19	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-KC-Kitch3 Lims Reference ID: AC38061-04 Matrix: Drinking Water Sampled: 11/16/24 06:22:00									
Metals									
Lead	1.90		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:21	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-KC-Kitch4 Lims Reference ID: AC38061-05 Matrix: Drinking Water Sampled: 11/16/24 06:22:00									
Metals									
Lead	5.32		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:23	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-KC-Kitch5 Lims Reference ID: AC38061-06 Matrix: Drinking Water Sampled: 11/16/24 06:23:00									
Metals									
Lead	8.97		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:29	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-KC-Kitch6 Lims Reference ID: AC38061-07 Matrix: Drinking Water Sampled: 11/16/24 06:23:00									
Metals									
Lead	15.5		1	1.00	µg/L	11/25/24 11:11	11/26/24 17:21	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: CLK-WC-Cafe Lims Reference ID: AC38061-08 Matrix: Drinking Water Sampled: 11/16/24 06:24:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:31	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-BF-Cafe Lims Reference ID: AC38061-09 Matrix: Drinking Water Sampled: 11/16/24 06:24:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:33	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061**LIMS Reference ID:** AC38061**EMSL Customer ID:** EPIC62**Attention:** James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Clark Elementary School

Customer PO:

NJ-DOE 24-1107C

EMSL Sales Rep:

Justin Monturano

Received:

11/22/2024 10:00

Reported:

12/09/2024 17:45

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CLK-CS-104 Lims Reference ID: AC38061-10 Matrix: Drinking Water Sampled: 11/16/24 06:26:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:35	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-105 Lims Reference ID: AC38061-11 Matrix: Drinking Water Sampled: 11/16/24 06:27:00									
Metals									
Lead	1.05		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:37	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-102 Lims Reference ID: AC38061-12 Matrix: Drinking Water Sampled: 11/16/24 06:27:00									
Metals									
Lead	3.06		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:39	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-103 Lims Reference ID: AC38061-13 Matrix: Drinking Water Sampled: 11/16/24 06:28:00									
Metals									
Lead	1.40		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:44	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-100 Lims Reference ID: AC38061-14 Matrix: Drinking Water Sampled: 11/16/24 06:29:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:46	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-101 Lims Reference ID: AC38061-15 Matrix: Drinking Water Sampled: 11/16/24 06:29:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:52	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-SO-NurRR Lims Reference ID: AC38061-16 Matrix: Drinking Water Sampled: 11/16/24 06:31:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:54	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-NS-Nurse Lims Reference ID: AC38061-17 Matrix: Drinking Water Sampled: 11/16/24 06:31:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:56	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-SO-MNOff Lims Reference ID: AC38061-18 Matrix: Drinking Water Sampled: 11/16/24 06:34:00									
Metals									
Lead	1.57		1	1.00	µg/L	11/25/24 17:45	11/26/24 16:58	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061
LIMS Reference ID: AC38061
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Clark Elementary School

Customer PO: NJ-DOE 24-1107C
EMSL Sales Rep: Justin Monturano
Received: 11/22/2024 10:00
Reported: 12/09/2024 17:45

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CLK-TL-Facul Lims Reference ID: AC38061-19 Matrix: Drinking Water Sampled: 11/16/24 06:34:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:45	11/26/24 17:00	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-165 Lims Reference ID: AC38061-20 Matrix: Drinking Water Sampled: 11/16/24 06:35:00									
Metals									
Lead	9.75		1	1.00	µg/L	11/25/24 17:45	11/26/24 17:02	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-164 Lims Reference ID: AC38061-21 Matrix: Drinking Water Sampled: 11/16/24 06:35:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:45	11/26/24 17:04	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-163 Lims Reference ID: AC38061-22 Matrix: Drinking Water Sampled: 11/16/24 06:36:00									
Metals									
Lead	12.9		1	1.00	µg/L	11/25/24 11:11	11/26/24 17:23	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: CLK-CS-161 Lims Reference ID: AC38061-23 Matrix: Drinking Water Sampled: 11/16/24 06:37:00									
Metals									
Lead	1.90		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:21	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-WC-Hall1 Lims Reference ID: AC38061-24 Matrix: Drinking Water Sampled: 11/16/24 06:37:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:26	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-BF-Hall1 Lims Reference ID: AC38061-25 Matrix: Drinking Water Sampled: 11/16/24 06:38:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:28	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-159 Lims Reference ID: AC38061-26 Matrix: Drinking Water Sampled: 11/16/24 06:38:00									
Metals									
Lead	6.35		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-159 Lims Reference ID: AC38061-27 Matrix: Drinking Water Sampled: 11/16/24 06:38:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:32	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax: 856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061
LIMS Reference ID: AC38061
EMSL Customer ID: EPIC62

Attention: James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Clark Elementary School

Customer PO:

NJ-DOE 24-1107C

EMSL Sales Rep:

Justin Monturano

Received:

11/22/2024 10:00

Reported:

12/09/2024 17:45

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CLK-DW-156 Lims Reference ID: AC38061-28 Matrix: Drinking Water Sampled: 11/16/24 06:39:00									
Metals									
Lead	44.0		1	1.00	µg/L	11/25/24 11:11	11/26/24 17:25	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: CLK-CS-156 Lims Reference ID: AC38061-29 Matrix: Drinking Water Sampled: 11/16/24 06:40:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:38	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-157 Lims Reference ID: AC38061-30 Matrix: Drinking Water Sampled: 11/16/24 06:40:00									
Metals									
Lead	1.02		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:40	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-155 Lims Reference ID: AC38061-31 Matrix: Drinking Water Sampled: 11/16/24 06:41:00									
Metals									
Lead	8.11		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:42	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-155 Lims Reference ID: AC38061-32 Matrix: Drinking Water Sampled: 11/16/24 06:41:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:44	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-154 Lims Reference ID: AC38061-33 Matrix: Drinking Water Sampled: 11/16/24 06:41:00									
Metals									
Lead	5.36		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:46	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-154 Lims Reference ID: AC38061-34 Matrix: Drinking Water Sampled: 11/16/24 06:42:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:48	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-153 Lims Reference ID: AC38061-35 Matrix: Drinking Water Sampled: 11/16/24 06:42:00									
Metals									
Lead	5.95		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:53	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-153 Lims Reference ID: AC38061-36 Matrix: Drinking Water Sampled: 11/16/24 06:43:00									
Metals									
Lead	1.12		1	1.00	µg/L	11/25/24 17:47	11/26/24 17:55	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061
LIMS Reference ID: AC38061
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Clark Elementary School

Customer PO: NJ-DOE 24-1107C
EMSL Sales Rep: Justin Monturano
Received: 11/22/2024 10:00
Reported: 12/09/2024 17:45

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CLK-DW-152 Lims Reference ID: AC38061-37 Matrix: Drinking Water Sampled: 11/16/24 06:43:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:47	11/26/24 18:01	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-152 Lims Reference ID: AC38061-38 Matrix: Drinking Water Sampled: 11/16/24 06:44:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:47	11/26/24 18:03	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-151 Lims Reference ID: AC38061-39 Matrix: Drinking Water Sampled: 11/16/24 06:44:00									
Metals									
Lead	1.33		1	1.00	µg/L	11/25/24 17:47	11/26/24 18:05	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-151 Lims Reference ID: AC38061-40 Matrix: Drinking Water Sampled: 11/16/24 06:45:00									
Metals									
Lead	1.00		1	1.00	µg/L	11/25/24 17:47	11/26/24 18:07	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-150 Lims Reference ID: AC38061-41 Matrix: Drinking Water Sampled: 11/16/24 06:45:00									
Metals									
Lead	4.82		1	1.00	µg/L	11/25/24 17:47	11/26/24 18:09	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-150 Lims Reference ID: AC38061-42 Matrix: Drinking Water Sampled: 11/16/24 06:46:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:47	11/26/24 18:11	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-WC-Hall2 Lims Reference ID: AC38061-43 Matrix: Drinking Water Sampled: 11/16/24 06:46:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:47	11/26/24 18:12	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-BF-Hall2 Lims Reference ID: AC38061-44 Matrix: Drinking Water Sampled: 11/16/24 06:48:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:51	11/26/24 18:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-114 Lims Reference ID: AC38061-45 Matrix: Drinking Water Sampled: 11/16/24 06:48:00									
Metals									
Lead	2.02		1	1.00	µg/L	11/25/24 17:51	11/26/24 18:35	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061
LIMS Reference ID: AC38061
EMSL Customer ID: EPIC62

Attention: James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Clark Elementary School

Customer PO:

NJ-DOE 24-1107C

EMSL Sales Rep:

Justin Monturano

Received:

11/22/2024 10:00

Reported:

12/09/2024 17:45

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CLK-CS-116 Lims Reference ID: AC38061-46 Matrix: Drinking Water Sampled: 11/16/24 06:49:00									
Metals									
Lead	3.00		1	1.00	µg/L	11/25/24 17:51	11/26/24 18:37	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-115 Lims Reference ID: AC38061-47 Matrix: Drinking Water Sampled: 11/16/24 06:50:00									
Metals									
Lead	1.60		1	1.00	µg/L	11/25/24 17:51	11/26/24 18:39	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-118 Lims Reference ID: AC38061-48 Matrix: Drinking Water Sampled: 11/16/24 06:51:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:51	11/26/24 18:41	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-117 Lims Reference ID: AC38061-49 Matrix: Drinking Water Sampled: 11/16/24 06:51:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:51	11/26/24 18:47	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-120 Lims Reference ID: AC38061-50 Matrix: Drinking Water Sampled: 11/16/24 06:52:00									
Metals									
Lead	1.60		1	1.00	µg/L	11/25/24 17:51	11/26/24 18:49	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-119 Lims Reference ID: AC38061-51 Matrix: Drinking Water Sampled: 11/16/24 06:52:00									
Metals									
Lead	2.95		1	1.00	µg/L	11/25/24 17:51	11/26/24 18:51	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-119 Lims Reference ID: AC38061-52 Matrix: Drinking Water Sampled: 11/16/24 06:53:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:51	11/26/24 18:53	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-122 Lims Reference ID: AC38061-53 Matrix: Drinking Water Sampled: 11/16/24 06:54:00									
Metals									
Lead	6.12		1	1.00	µg/L	11/25/24 17:51	11/26/24 18:55	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-122 Lims Reference ID: AC38061-54 Matrix: Drinking Water Sampled: 11/16/24 06:54:00									
Metals									
Lead	18.1		1	1.00	µg/L	11/25/24 17:51	11/26/24 18:57	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061
LIMS Reference ID: AC38061
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Clark Elementary School

Customer PO: NJ-DOE 24-1107C
EMSL Sales Rep: Justin Monturano
Received: 11/22/2024 10:00
Reported: 12/09/2024 17:45

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CLK-DW-121 Lims Reference ID: AC38061-55 Matrix: Drinking Water Sampled: 11/16/24 06:54:00									
Metals									
Lead	1.57		1	1.00	µg/L	11/25/24 17:51	11/26/24 19:02	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-121 Lims Reference ID: AC38061-56 Matrix: Drinking Water Sampled: 11/16/24 06:55:00									
Metals									
Lead	17.0		1	1.00	µg/L	11/25/24 17:51	11/26/24 19:04	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-124 Lims Reference ID: AC38061-57 Matrix: Drinking Water Sampled: 11/16/24 06:56:00									
Metals									
Lead	56.8		1	1.00	µg/L	11/25/24 17:51	11/26/24 19:10	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-124 Lims Reference ID: AC38061-58 Matrix: Drinking Water Sampled: 11/16/24 06:57:00									
Metals									
Lead	2.05		1	1.00	µg/L	11/25/24 17:51	11/26/24 19:12	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-123 Lims Reference ID: AC38061-59 Matrix: Drinking Water Sampled: 11/16/24 06:57:00									
Metals									
Lead	134		2	2.00	µg/L	11/25/24 17:51	11/27/24 07:06	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-123 Lims Reference ID: AC38061-60 Matrix: Drinking Water Sampled: 11/16/24 06:58:00									
Metals									
Lead	2.20		1	1.00	µg/L	11/25/24 17:51	11/26/24 19:16	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-126 Lims Reference ID: AC38061-61 Matrix: Drinking Water Sampled: 11/16/24 06:59:00									
Metals									
Lead	6.13		1	1.00	µg/L	11/25/24 17:51	11/26/24 19:18	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-126 Lims Reference ID: AC38061-62 Matrix: Drinking Water Sampled: 11/16/24 06:59:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:51	11/26/24 19:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-125 Lims Reference ID: AC38061-63 Matrix: Drinking Water Sampled: 11/16/24 06:59:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:51	11/26/24 19:21	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax: 856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061
LIMS Reference ID: AC38061
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Clark Elementary School

Customer PO: NJ-DOE 24-1107C
EMSL Sales Rep: Justin Monturano
Received: 11/22/2024 10:00
Reported: 12/09/2024 17:45

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CLK-CS-125 Lims Reference ID: AC38061-64 Matrix: Drinking Water Sampled: 11/16/24 07:00:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/26/24 19:39	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-128 Lims Reference ID: AC38061-65 Matrix: Drinking Water Sampled: 11/16/24 07:00:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/26/24 19:44	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-128 Lims Reference ID: AC38061-66 Matrix: Drinking Water Sampled: 11/16/24 07:01:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/26/24 19:46	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-127 Lims Reference ID: AC38061-67 Matrix: Drinking Water Sampled: 11/16/24 07:01:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/26/24 19:48	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-127 Lims Reference ID: AC38061-68 Matrix: Drinking Water Sampled: 11/16/24 07:02:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/26/24 19:50	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-DW-130 Lims Reference ID: AC38061-69 Matrix: Drinking Water Sampled: 11/16/24 07:02:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:12	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-130 Lims Reference ID: AC38061-70 Matrix: Drinking Water Sampled: 11/16/24 07:03:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:14	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-131 Lims Reference ID: AC38061-71 Matrix: Drinking Water Sampled: 11/16/24 07:04:00									
Metals									
Lead	1.13		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:16	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-WC-Gym Lims Reference ID: AC38061-72 Matrix: Drinking Water Sampled: 11/16/24 07:04:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:18	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061
LIMS Reference ID: AC38061
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Clark Elementary School

Customer PO: NJ-DOE 24-1107C
EMSL Sales Rep: Justin Monturano
Received: 11/22/2024 10:00
Reported: 12/09/2024 17:45

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CLK-BF-Gym Lims Reference ID: AC38061-73 Matrix: Drinking Water Sampled: 11/16/24 07:04:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-WC-Hall3 Lims Reference ID: AC38061-74 Matrix: Drinking Water Sampled: 11/16/24 07:05:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:22	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-BF-Hall3 Lims Reference ID: AC38061-75 Matrix: Drinking Water Sampled: 11/16/24 07:05:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:27	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-143 Lims Reference ID: AC38061-76 Matrix: Drinking Water Sampled: 11/16/24 07:07:00									
Metals									
Lead	11.2		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:29	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-145 Lims Reference ID: AC38061-77 Matrix: Drinking Water Sampled: 11/16/24 07:08:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:35	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-144 Lims Reference ID: AC38061-78 Matrix: Drinking Water Sampled: 11/16/24 07:09:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:37	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-147 Lims Reference ID: AC38061-79 Matrix: Drinking Water Sampled: 11/16/24 07:09:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:39	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-146 Lims Reference ID: AC38061-80 Matrix: Drinking Water Sampled: 11/16/24 07:09:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:41	PL	EPA 200.8 (DA)/EPA 200.8
Sample: CLK-CS-149 Lims Reference ID: AC38061-81 Matrix: Drinking Water Sampled: 11/16/24 07:10:00									
Metals									
Lead	ND		1	1.00	µg/L	11/25/24 17:52	11/27/24 07:43	PL	EPA 200.8 (DA)/EPA 200.8

EMSL Analytical, Inc.

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061

LIMS Reference ID: AC38061

EMSL Customer ID: EPIC62

Attention: James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Clark Elementary School

Customer PO:

NJ-DOE 24-1107C

EMSL Sales Rep:

Justin Monturano

Received:

11/22/2024 10:00

Reported:

12/09/2024 17:45

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

Sample: CLK-CS-148

Lims Reference ID: AC38061-82 Matrix: Drinking Water

Sampled: 11/16/24 07:10:00

Metals

Lead	1.06	1	1.00	µg/L	11/25/24 17:52	11/27/24 07:45	PL	EPA 200.8 (DA)/EPA 200.8
------	------	---	------	------	----------------	----------------	----	--------------------------

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061**LIMS Reference ID:** AC38061**EMSL Customer ID:** EPIC62**Attention:** James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Clark Elementary School

Customer PO:

NJ-DOE 24-1107C

EMSL Sales Rep:

Justin Monturano

Received:

11/22/2024 10:00

Reported:

12/09/2024 17:45

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2025
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax: 856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438061**LIMS Reference ID:** AC38061**EMSL Customer ID:** EPIC62**Attention:** James Eberts

Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name:

Clark Elementary School

Customer PO:

NJ-DOE 24-1107C

EMSL Sales Rep:

Justin Monturano

Received:

11/22/2024 10:00

Reported:

12/09/2024 17:45

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING
EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING

4C38061

Environmental Chemistry Chain of Custody EMSL Order Number (Lab Use Only):

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077
PHONE: 1-800-220-3675
FAX: (856) 786-5974

Report To Contact Name: James Eberts				Bill To Company: Epic Environmental Services, LLC			
Company Name: Epic Environmental Services, LLC				Attention To: James Eberts / Timothy Eberts			
Street: 80 Fork Bridge Road				Street: 80 Fork Bridge Road			
City: Pittsgrove		State/Province: NJ		Zip/Postal Code: 08318		City: Pittsgrove	
Phone: 856-205-1077		Fax:		Phone: 856-205-1077		Fax:	
Project Name: Clark Elementary School				Email Results To: jeberts@epicenviro.com/teberts@epicenviro.com			
U.S. State where Samples Collected: NJ				Number of Samples in Shipment: 82		Purchase Order: NJ-DOE (24-11076)	
Sample for Compliance? Yes ☒ No ☐ If yes, NPDES? ☐ Other (Specify):							
Samples Collected by: EMSL ☐ Client ☒ check one				Sampled By (Signature): James Eberts			
Standard Turnaround Time: ☒ 2 Weeks				The following TATs are subject to lab approval: ☐ 1 Week ☐ 4 Days ☐ 3 Days ☐ 2 Days ☐ 1 Day			
Failure to complete will hinder processing of samples				List Test(s) Needed			
Client Sample ID		Comp	Grab	Collect Date/Time	Matrix	Preservative	EPA 200.8 Total Lead
CLK -FB	☐	☒		11/16/24	W=Water S=Soil A=Air SL=Sludge O=Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	X
KC-KITCH 1	☐	☒		0620	W	2	X
KC-KITCH 2	☐	☒		0621	W		X
KC-KITCH 3	☐	☒		0622	W		X
KC-KITCH 4	☐	☒		0622	W		X
Released By (Signature): James Eberts				Date & Time: 11/22/2024		Received By (Signature): CW	
				Date & Time: 11-22-24			

Please indicate reporting requirements: ☒ Results Only ☐ Results and QC ☐ Reduced Deliverables ☐ Disk Deliverable ☐ Other

Instructions or Comments: Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.

Analyze FIRST DRAWS Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING

Environmental Chemistry
Chain of Custody
EMSL Order Number (Lab Use Only):
AC38061

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Failure to complete will hinder processing of samples			Matrix	Preservative	List Test(s) Needed				Comments
Client Sample ID	Comp	Grab			EPA 200.8	Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time
CLK- KC-KITCHEN	☐	☐	W=Water S=Soil A=Air SL=Sludge O=Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	2				
KC-KITCHEN	☐	☐	W						
KC-KITCHEN	☐	☐	W						
WC-CAFE	☐	☐	W						
BF-CAFE	☐	☐	W						
CS-104	☐	☐	W						
CS-105	☐	☐	W						
CS-102	☐	☐	W						
CS-103	☐	☐	W						
CS-100	☐	☐	W						
CS-101	☐	☐	W						
SD-NURSE	☐	☐	W						
NS-NURSE	☐	☐	W						
SD-MNOFF	☐	☐	W						
TL-FACUL	☐	☐	W						
CS-165	☐	☐	W						
CS-164	☐	☐	W						
CS-163	☐	☐	W						

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING
EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Environmental Chemistry
Chain of Custody
EMSL Order Number (Lab Use Only):
AC38061

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Failure to complete will hinder processing of samples		Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	List Test(s) Needed						Comments						
Client Sample ID	Comp				Grab	EPA 200.8	Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time							
CS-161	☐	☐	4/16/24	0637	W	2											
WC-HALL 1	☐	☐		0638	W												
BE-HALL 1	☐	☐		0638	W												
DW-159	☐	☒		0638	W												
CS-159	☐	☒		0639	W												
DW-156	☐	☒		0640	W												
CS-156	☐	☒		0640	W												
CS-157	☐	☒		0641	W												
DW-155	☐	☒		0641	W												
CS-155	☐	☒		0641	W												
DW-154	☐	☒		0642	W												
CS-154	☐	☒		0642	W												
DW-153	☐	☒		0643	W												
CS-153	☐	☒		0643	W												
DW-152	☐	☒		0644	W												
CS-152	☐	☒		0644	W												
DW-151	☐	☒		0645	W												

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING
EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING

Environmental Chemistry

Chain of Custody

EMSL Order Number (Lab Use Only):

AT380561

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Failure to complete will hinder processing of samples	Comp	Grab	Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8	List Test(s) Needed	Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time	Comments
Client Sample ID												
CS-151	☐	☐	11/16/24	W	2							
DW-150	☐	☐	0645	W								
CS-150	☐	☐	0646	W								
WC-HALL 2	☐	☒	0648	W								
BF-HALL 2	☐	☒	0648	W								
CS-114	☐	☒	0649	W								
CS-116	☐	☒	0650	W								
CS-115	☐	☒	0651	W								
CS-118	☐	☒	0651	W								
CS-117	☐	☒	0652	W								
CS-120	☐	☒	0652	W								
DW-119	☐	☒	0653	W								
CS-119	☐	☒	0654	W								
DW-122	☐	☒	0654	W								
CS-122	☐	☒	0654	W								
DW-121	☐	☒	0655	W								
CS-121	☐	☒	0656	W								

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS • TRAINING
EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS • TRAINING

Environmental Chemistry
Chain of Custody
EMSL Order Number (Lab Use Only):
AL38061

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Failure to complete will hinder processing of samples		Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	List Test(s) Needed						Comments
	Comp	Grab				EPA 200.8	Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time		
DW-124	☐	☐	11/16/24	W	2							
CS-124	☐	☐	0657	W								
DW-123	☐	☐	0657	W								
CS-123	☐	☒	0658	W								
DW-126	☐	☒	0659	W								
CS-126	☐	☒	0659	W								
DW-125	☐	☒	0659	W								
CS-125	☐	☒	0659	W								
DW-128	☐	☒	0700	W								
CS-128	☐	☒	0700	W								
DW-127	☐	☒	0701	W								
CS-127	☐	☒	0701	W								
DW-130	☐	☒	0702	W								
CS-130	☐	☒	0702	W								
CS-131	☐	☒	0703	W								
WC-GYM	☐	☒	0704	W								
BE-GYM	☐	☒	0704	W								

(Lab) Received Temperature: _____ °C



EMSL Order Number (Lab Use Only):

488061

PHONE:
FAX:

[illegible]

(Lab) Received Temperature: _____ °C